Certificate Number Report Reference Issue Date 20130117-E250182 E250182-20041004A 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

THERMOSET-INSULATED WIRE Type SIS

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: Thermoset-Insulated Wires and Cables, UL 44. See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: (b) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130117-E250182 E250182-20041005B 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

THERMOSET-INSULATED WIRE Type XHHW.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: Thermoset-Insulated Wires and Cables, UL 44. See the UL Online Certifications Directory at <u>www.ul.com/database</u> for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: (b) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130117-E250182 E250182-20041006C 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

THERMOSET-INSULATED WIRE Type XHHW-2.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: Thermoset-Insulated Wires and Cables, UL 44. See the UL Online Certifications Directory at <u>www.ul.com/database</u> for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: ^(L) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130117-E250182 E250182-20041007D 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

THERMOSET-INSULATED WIRE Type RHH, rated 600 or 2000 V.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: Thermoset-Insulated Wires and Cables, UL 44. See the UL Online Certifications Directory at <u>www.ul.com/database</u> for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: ^(L) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130117-E250182 E250182-20041008E 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

THERMOSET-INSULATED WIRE Type RHW, rated 600 or 2000 V.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: Thermoset-Insulated Wires and Cables, UL 44. See the UL Online Certifications Directory at <u>www.ul.com/database</u> for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: ^(L) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130117-E250182 E250182-20041009F 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

THERMOSET-INSULATED WIRE Type RHW-2, rated 600 or 2000 V.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: Thermoset-Insulated Wires and Cables, UL 44. See the UL Online Certifications Directory at <u>www.ul.com/database</u> for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: ^(L) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130117-E253888 E253888-20100804 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

POWER AND CONTROL TRAY CABLE Type TC

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:Electrical Power and Control Tray Cables with Optional
Optical-Fiber Members, UL 1277Additional Information:See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: ^(b) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carm

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130117-E336639 E336639-20100804 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

WIND TURBINE TRAY CABLE Cable rated 90°C, 1000 V.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:Outline of Investigation for Flexible Motor Supply Cable and
Wind Turbine Tray Cable, Subject 2277. Electrical Power
and Control Tray Cables with Optional Optical-Fiber
Members, UL 1277.Additional Information:See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: (b) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carm

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130117-E313987 E313987-20080128 2013-JANUARY-17

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

METAL-CLAD CABLE Type MC Cable in Sizes 18 AWG to 2000 kcmil employing interlocked aluminum armor.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: Metal-Clad Cable, UL 1569 See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: ⁽¹⁾ with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20130228-E353474 E353474-20130227 2013-FEBRUARY-28

Issued to: BASIC WIRE & CABLE 3900 N ROCKWELL ST CHICAGO IL 60618

This is to certify that representative samples of

PHOTOVOLTAIC WIRE Type PV

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:UL Subject 4703, Outline of Investigation for Photovoltaic
Wire
UL 44, Thermoset-Insulated Wires and CablesAdditional Information:See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: ^(b) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carm

William R. Carney, Director, North American Certification Programs



Certificate Number Report Reference Issue Date 20140307-E465326 E465326-20140305 2014-MARCH-07

Issued to: BASIC WIRE & CABLE 3900 N Rockwell St, Chicago IL 60618-3719.

This is to certify that representative samples of

SERVICE-ENTRANCE CABLE Type USE

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: UL 854, Standard For Service-Entrance Cables See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: (b) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs UL LLC



Certificate Number Report Reference Issue Date 20140307-E465326 E465326-20140306 2014-MARCH-07

Issued to: BASIC WIRE & CABLE 3900 N Rockwell St, Chicago IL 60618-3719.

This is to certify that representative samples of

SERVICE-ENTRANCE CABLE Type USE-2

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: Additional Information: UL 854, Standard For Service-Entrance Cables See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle: (b) with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney

William R. Carney, Director, North American Certification Programs UL LLC

